



Elkem Silicones Dispenser Catalogue

Adhesive Dispenser for CAF™ and ESA

Category ① : Highest Price

Category ④ : Lowest Price

Topseller 🏆 : Our Best-Selling Products



BATTERY



MANUAL



PNEUMATIC



SPRAY



ADHESIVE BEAD



CARTRIDGE 1C



CARTRIDGE 2C



FOILS 1C



FOILS 2C



BULK MATERIAL

Impressum

Elkem Silicones Germany GmbH

Hans-Sachs-Straße 4a
23566 Lübeck

E-Mail: accessories@elkem.com

Index

TUBE DISPENSERS FOR SEVERALS VOLUMES	5
Manual Dispensers.....	6
80ML CARTRIDGES	7
Manual Dispensers.....	8
310ML CARTRIDGES	9
Manual Dispensers.....	10
Pneumatic Dispensers	11
Battery Powered Dispensers.....	12
1000ML CARTRIDGES	13
Manual Dispensers	14
Pneumatic Dispensers	15
400ML FOILS	16
Manual Dispensers.....	17
Pneumatic Dispensers	18
Battery Powered Dispensers.....	19
50ML BI CARTRIDGES	20
Manual Dispensers.....	21
Pneumatic Dispensers	22
Battery Powered Dispensers.....	23
200ML BI CARTRIDGES	24
Manual Dispensers.....	25
Pneumatic Dispensers	26
Battery Powered Dispensers.....	27
260-280ML BI CARTRIDGES	28
Manual Dispensers.....	29
Pneumatic Dispensers	30
400ML BI CARTRIDGES	31
Manual Dispensers.....	32
Pneumatic Dispensers	33
Battery Powered Dispensers.....	34
490ML BI CARTRIDGES	35
Manual Dispensers.....	36

Pneumatic Dispensers	37
Battery Powered Dispensers.....	38
ADHESIVE ACCESSORIES	39
Nozzles S15	40
Nozzles M20	41
Nozzles M15	42
F-System Mixers.....	43
B-System Mixers	45



Tube Dispensers for several Volumes

Elkem Silicones

Manual Dispensers



Manual Dispensers for Tubes

Art.-No.: 12043

Origin: China
Type of drive: Manual
Spareparts: ✖
Stock goods: ✔
Repair service: ✖

Category **4**

Application type: Adhesive bead
Container type: Tube
Mechanical advantage ratio: 2:1
Weight: 350g



80ml Cartridges

Elkem Silicones

Manual Dispensers



Manual Dispenser

Art.-No.: **12001**

Origin: Taiwan
 Type of drive: Manual
 Components: 1C
 Spare parts: ✖
 Stock goods: ✔
 Repair service: ✖

TOPSELLER 

Category **1**

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 60ml, ▶ 80ml
 Mechanical advantage ratio: 10:1
 Weight: 650g



Manual Dispenser

Art.-No.: **12044**


Origin: Taiwan
 Type of drive: Manual
 Components: 1C
 Spare parts: ✔
 Stock goods: ✔
 Repair service: ✖

NEW 

Category **4**

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 50ml, ▶ 80ml
 Mechanical advantage ratio: 12:1
 Weight: 600g





310ml Cartridges

Elkem Silicones

Manual Dispensers



Manual Dispenser

Art.-No.: 12002

Origin: Great Britain
 Type of drive: Manual
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

TOPSELLER 

Category **2**

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml
 Mechanical advantage ratio: 12:1
 Weight: 550g



Manual Dispenser

Art.-No.: 12003

Origin: Great Britain
 Type of drive: Manual
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

TOPSELLER 

Category **3**

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml
 Mechanical advantage ratio: 12:1
 Weight: 750g



Manual Dispenser

Art.-No.: 12004

Origin: Taiwan
 Type of drive: Manual
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✗

Category **4**

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml
 Mechanical advantage ratio: 12:1
 Weight: 770g



Pneumatic Dispensers



Pneumatic Dispenser

Art.-No.: 12005

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

TOPSELLER 

Category **3**

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml
 Thrust force: 1,45kN
 Pressure: 6,80bar
 Weight: 790g



Pneumatic Dispenser

Art.-No.: 12006

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

TOPSELLER 

Category **3**

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml
 Thrust force: 1,45kN
 Pressure: 6,80bar
 Weight: 600g



Pneumatic Dispenser

Art.-No.: 12007

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category **2**

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml
 Thrust force: 1,30kN
 Pressure: 8,00bar
 Weight: 880g



Battery Powered Dispensers



Battery Powered Dispenser

Art.-No.: 12008

Origin: Great Britain
 Type of drive: Battery
 Components: 1C
 Spare parts: ✓
 Stockgoods: ✓
 Repair service: ✓

NEW !

Category 3

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: 310ml
Thrust force: 3,50kN
Voltage: 18,00V
Weight: 2380g



Battery Powered Dispenser

Art.-No.: 12009

Origin: Taiwan
 Type of drive: Battery
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✗

Category 4

Application type: Adhesive bead
 Container type: Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml
 Thrust force: 4,50kN
 Voltage: 7,20V
 Weight: 1250g



1000ml Cartridges

Elkem Silicones

Manual Dispensers



Manual Dispenser



Art.-No.: 12010

Origin: Great Britain
Type of drive: Manual
Components: 1C
Spare parts: ✓
Stock goods: ✓
Repair service: ✓

Category **3**

Application type: Adhesive bead
Container type: Cartridge
Total net quantity: 1000ml
Mechanical advantage ratio: 12:1
Weight: 1120g

Pneumatic Dispensers



Pneumatic Dispenser




Art.-No.: 12011

Origin: Great Britain
Type of drive: Pneumatic
Components: 1C
Spare parts: ✓
Stock goods: ✓
Repair service: ✓

Category **3**

Application type: Adhesive bead
Container type: Cartridge
Total net quantity: 1000ml
Thrust force: 5,25kN
Pressure: 6,80bar
Weight: 2150g





400ml Foils

Elkem Silicones

Manual Dispensers



Manual Dispenser


Art.-No.: 12012

Origin: Great Britain
 Type of drive: Manual
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

TOPSELLER 

Category 2

Application type: Adhesive bead
 Container type: ▶ Foils,
 ▶ Cartridges
 Total net quantity: ▶ 290ml,
 ▶ 310ml, ▶ 400ml, ▶ 500ml,
 ▶ 600ml
 Mechanical advantage ratio: 18:1
 Weight: 1300g



Manual Dispenser

Art.-No.: 12013

Origin: Great Britain
 Type of drive: Manual
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category 3

Application type: Adhesive bead
 Container type: ▶ Foils,
 ▶ Cartridges
 Total net quantity: ▶ 290ml,
 ▶ 310ml, ▶ 400ml
 Mechanical advantage ratio: 12:1
 Weight: 940g



Manual Dispenser

Art.-No.: 12014

Origin: Taiwan
 Type of drive: Manual
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✗

Category 4

Application type: Adhesive bead
 Container type: ▶ Foils
 Total net quantity: ▶ 290ml,
 ▶ 310ml, ▶ 400ml
 Mechanical advantage ratio: 12:1
 Weight: 1000g

Pneumatic Dispensers



Pneumatic Dispensers

Art.-No.: 12015

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category **3**

Application type: Adhesive bead
 Container type: Foils
 Total net quantity: 400ml
 Thrust force: 1,45kN
 Pressure: 6,80bar
 Weight: 990g



Pneumatic Dispensers

Art.-No.: 12016

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category **3**

Application type: Adhesive bead
 Container type: Foils
 Total net quantity: ▶ 290ml,
 ▶ 310ml, ▶ 400ml
 Thrust force: 1,45kN
 Pressure: 6,80bar
 Weight: 800g



Pneumatic Dispensers

Art.-No.: 12017

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category **2**

Application type: Adhesive bead
 Container type: Foils
 Total net quantity: ▶ 400ml,
 ▶ 600ml
 Thrust force: 1,60kN
 Pressure: 8,00bar
 Weight: 980g



Battery Powered Dispensers



Battery Powered Dispenser

Art.-No.: 12019

Origin: Great Britain
 Type of drive: Battery
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

TOPSELLER 

Category 3

Application type: Adhesive bead
 Container type: ▶ Foils,
 ▶ Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml, ▶ 400ml
 Thrust force: 2,50kN
 Voltage: 10,80V
 Weigh: 2500g



Battery Powered Dispenser

Art.-No.: 12020

Origin: U.S.
 Type of drive: Battery
 Components: 1C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category 3

Application type: Adhesive bead
 Container type: ▶ Foils,
 ▶ Cartridge
 Total net quantity: ▶ 290ml,
 ▶ 310ml, ▶ 400ml
 Thrust force: 4,00kN
 Voltage: 20,00V
 Weight: 3100g



50ml Bi Cartridge

Elkem Silicones

Manual Dispensers



Manual Dispenser

Art.-No.: 12021

Origin: Switzerland
 Type of drive: Manual
 Components: 2C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✗

Category **1**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 50ml
 Mechanical advantage ratio: 7:1
 Mixing ratios: ▶ 1:1,
 ▶ 1,5:1, ▶ 2:1
 Weight: 270g



Manual Dispenser

Art.-No.: 12022

Origin: Great Britain
 Type of drive: Manual
 Components: 2C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✗

Category **3**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 50ml
 Mechanical advantage ratio: 12:1
 Mixing ratios: ▶ 1:1,
 ▶ 2:1
 Weight: 240g



Pneumatic Dispensers



Pneumatic Dispenser

Art.-No.: 12023

Origin: Great Britain

Type of drive: Pneumatic

Components: 2C

Spare parts: ✓

Stock goods: ✓

Repair service: ✓

Category 3

Application type: Adhesive bead

Container type: Side by Side - Bi Cartridge

Total net quantity: 50ml

Thrust force: 0,68kN

Pressure: 3,40bar

Mixing ratios: ▶ 1:1,

▶ 2:1

Weight: 750g

Battery Powered Dispensers



Battery Powered Dispenser

Art.-No.: 12024

Origin: USA
Type of drive: Battery
Components: 2C
Spare parts: ✓
Stock goods: ✓
Repair service: ✓

Category **3**

Application type: Adhesive bead
Container type: Side by Side - Bi Cartridge
Total net quantity: 50ml
Thrust force: 1,00kN
Voltage: 12,00V
Mixing ratios: ▶ 1:1,
▶ 2:1, ▶ 3:1, ▶ 4:1, ▶ 10:1
Weight: 1400g



200ml Bi Cartridge

Elkem Silicones

Manual Dispensers



Manual Dispenser



Art.-No.: 12045

Origin: Great Britain
 Type of drive: Manual
 Components: 2C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category 2

Application type: Adhesive bead
 Container Type: Side by Side - Bi Cartridge
 Total net quantity: 200ml
 Thrust force: 25:1
 Mixing ratios: ▶ 1:1, ▶ 2:1
 Weight: 1070g



Manual Dispenser



Art.-No.: 12046

Origin: Great Britain
 Type of drive: Manual
 Components: 2C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category 3

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: ▶ 200ml, ▶ 210ml, ▶ 225ml, ▶ 247,5ml
 Thrust force: 25:1
 Mixing ratios: ▶ 1:1, ▶ 2:1, ▶ 4:1, ▶ 10:1
 Weight: 1560g

Pneumatic Dispensers



Pneumatic Dispenser

Art.-No.: 12047

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✖
 Stock goods: ✔
 Repair service: ✖

NEW  **Category 1**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 200ml
 Thrust force: 2,20kN
 Pressure: 6,80bar
 Mixing ratios: ▶ 1:1, ▶ 2:1
 Weight: 1800g



Pneumatic Dispenser

Art.-No.: 12048

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✔
 Stock goods: ✔
 Repair service: ✔

Category 3

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 200ml
 Thrust force: 2,20kN
 Pressure: 6,80bar
 Mixing ratios: 1:1
 Weight: 1690g

Battery Powered Dispensers



Battery Powered Dispenser


Art.-No.: 12049

Origin: Taiwan
Type of drive: Battery
Components: 2C
Spare parts: ✓
Stock goods: ✓
Repair service: ✗

NEW !

Category 4

Application type: Adhesive bead
Container type: Side by Side -
Bi Cartridge
Total net quantity: ▶ 200ml,
▶ 210ml, ▶ 220ml
Thrust force: 4,50kN
Voltage: 7,20V
Mixing ratios: 1:1
Weight: 1900g



260 – 280ml Bi Cartridge

Elkem Silicones

Manual Dispensers



Manual Dispenser



Art.-No.: 12025

Origin: Great Britain
 Type of drive: Manual
 Components: 2C
 Spare parts: ✖
 Stock goods: ✖
 Repair service: ✖

Category **1**

Application type: Adhesive bead
 Container type: Side by Side -
 Bi Cartridge
 Total net quantity: 250ml
 Mechanical advantage ratio: 25:1
 Mixing ratios: 10:1
 Weight: 1600g



Manual Dispenser



Art.-No.: 12026

Origin: Great Britain
 Type of drive: Manual
 Components: 2C
 Spare parts: ✔
 Stock goods: ✔
 Repair service: ✔

TOPSELLER 

Category **3**

Application type: Adhesive bead
 Container type: Side by Side, -
 Bi Cartridge
 Total net quantity: ▶ 200ml,
 ▶ 210ml, ▶ 225ml, ▶ 247,5ml
 Mechanical advantage ratio: 18:1
 Mixing ratios: ▶ 1:1,
 ▶ 2:1, ▶ 4:1, ▶ 10:1
 Weight: 1560g

Pneumatic Dispensers



Pneumatic Dispenser

Art.-No.: 12027

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✖
 Stock goods: ✔
 Repair service: ✖

NEW !

Category 1

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 250ml
 Thrust force: 2,50kN
 Pressure: 6,80bar
 Mixing ratios: 10:1



Pneumatic Dispenser

Art.-No.: 12028

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✔
 Stock goods: ✔
 Repair service: ✔

Category 3

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: ▶ 200ml, ▶ 210ml, ▶ 225ml, ▶ 247,5ml
 Thrust force: 2,20kN
 Pressure: 6,80bar
 Mixing ratios: ▶ 1:1, ▶ 2:1, ▶ 4:1, ▶ 10:1
 Weight: 2200g





400ml Bi Cartridge

Elkem Silicones

Manual Dispensers



Manual Dispenser



Art.-No.: 12029

Origin: Great Britain
 Type of drive: Manual
 Components: 2C
 Spare parts: ✖
 Stock goods: ✖
 Repair service: ✖

Category 1

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: ▶ 400ml, ▶ 395ml
 Mechanical advantage ratio: 25:1
 Mixing ratios: ▶ 1:1, ▶ 2:1
 Weight: 1930g



Manual Dispenser



Art.-No.: 12030

Origin: Taiwan
 Type of drive: Manual
 Components: 2C
 Spare parts: ✖
 Stock goods: ✔
 Repair service: ✖

TOPSELLER

Category 4

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 400ml
 Mechanical advantage ratio: 35:1
 Mixing ratios: ▶ 1:1, ▶ 2:1
 Weight: 1500g



Manual Dispenser



Art.-No.: 12031

Origin: Great Britain
 Type of drive: Manual
 Components: 2C
 Spare parts: ✔
 Stock goods: ✔
 Repair service: ✔

Category 3

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 400ml
 Mechanical advantage ratio: 18:1
 Mixing ratios: 1:1
 Weight: 1665g

Pneumatic Dispensers



Pneumatic Dispenser

Art.-No.: 12032

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✖
 Stock goods: ✔
 Repair service: ✖

Category **1**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 400ml
 Thrust force: 5,00kN
 Mixing ratios: ▶ 1:1,
 ▶ 2:1
 Weight: 2700g



Pneumatic Dispenser

Art.-No.: 12033

Origin: Switzerland
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✔
 Stock goods: ✔
 Repair service: ✔

Category **2**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 400ml
 Thrust force: 2,70kN
 Pressure: 8,00bar
 Mixing ratios: 1:1
 Weight: 1920g



Pneumatic Dispenser

Art.-No.: 12034

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✔
 Stock goods: ✔
 Repair service: ✔

Category **3**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 400ml
 Thrust force: 2,20kN
 Pressure: 6,80bar
 Mixing ratios: 1:1
 Weight: 2700g

Battery Powered Dispensers



Battery Powered Dispenser

Art.-No.: 12035

Origin: Great Britain
 Type of drive: Battery
 Components: 2C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

Category **2**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 400ml
 Thrust force: 4,90kN
 Voltage: 18,00V
 Mixing ratios: 1:1
 Weight: 3500g



Battery Powered Dispenser

Art.-No.: 12036

Origin: Taiwan
 Type of drive: Battery
 Components: 2C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✗

Category **4**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 400ml
 Thrust force: 4,50kN
 Voltage: 7,20V
 Mixing ratios: 1:1
 Weight: 1720g



490ml Bi Cartridge

Elkem Silicones

Manual Dispensers



Manual Dispenser



Art.-No.: 12037

Origin: Great Britain
 Type of drive: Manual
 Components: 2C
 Spare parts: ✖
 Stock goods: ✖
 Repair service: ✖

NEW !

Category 1

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 490ml
 Mechanical advantage ratio: 25:1
 Mixing ratios: 10:1
 Weight: 1930g



Manual Dispenser



Art.-No.: 12038

Origin: Taiwan
 Type of drive: Manual
 Components: 2C
 Spare parts: ✖
 Stock goods: ✔
 Repair service: ✖

TOPSELLER !

Category 4

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 490ml
 Mechanical advantage ratio: 35:1
 Mixing ratios: 10:1
 Weight: 1500g

Pneumatic Dispensers



Pneumatic Dispenser

Art.-No.: 12039

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✖
 Stock goods: ✔
 Repair service: ✖

NEW  **Category 1**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: 490ml
 Thrust force: 5,00kN
 Mixing ratios: 10:1
 Weight: 2700g



Pneumatic Dispenser

Art.-No.: 12040

Origin: Great Britain
 Type of drive: Pneumatic
 Components: 2C
 Spare parts: ✔
 Stock goods: ✔
 Repair service: ✔

NEW  **Category 3**

Application type: Adhesive bead
 Container type: Side by Side - Bi Cartridge
 Total net quantity: ▶ 400ml, ▶ 495ml, ▶ 405ml, ▶ 425ml
 Thrust force: 2,20kN
 Mixing ratios: ▶ 1:1, ▶ 2:1, ▶ 4:1, ▶ 10:1
 Weight: 3000g



Battery Powered Dispensers



Battery Powered Dispenser

Art.-No.: 12041

Origin: Great Britain
 Type of drive: Battery
 Components: 2C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

TOPSELLER 

Category 

Application type: Adhesive bead
Container type: Side by Side - Bi Cartridge
Total net quantity: ▶ 400ml, ▶ 405ml, ▶ 410ml, ▶ 415ml, ▶ 425ml, ▶ 450ml, ▶ 470ml, ▶ 490ml
Thrust force: 5,00kN
Voltage: 18,00V
Mixing ratios: ▶ 1:1, ▶ 2:1, ▶ 4:1, ▶ 10:1
Weight: 3800g



Battery Powered Dispenser

Art.-No.: 12042

Origin: U.S.
 Type of drive: Battery
 Components: 2C
 Spare parts: ✓
 Stock goods: ✓
 Repair service: ✓

TOPSELLER 

Category 

Application type: Adhesive bead
Container type: Side by Side - Bi Cartridge
Total net quantity: 490ml
Thrust force: 6,20kN
Voltage: 20,00V
Mixing ratios: 10:1
Weight: 3700g



Adhesive Accessories

Elkem Silicones

Nozzles S15


Wide Slot Nozzle S15 30mm
Art.-No.: ITR1566

 Connection: S15 /
Standard coarse thread

 TOPSELLER 

 Category **3**

 Type: Wide slot nozzle
Application type: Adhesive bead

Wide Coverage Nozzle S15 78mm
Art.-No.: ITR1971

 Connection: S15 /
Standard coarse thread

 TOPSELLER 

 Category **3**

 Type: Wide coverage nozzle
Application type: Adhesive bead

360° Twisty Nozzle S15
Art.-No.: ITR1137

 Connection: S15 /
Standard coarse thread

 TOPSELLER 

 Category **2**

 Type: Twisty nozzle with cap
Application type: Adhesive bead

Nozzle Extension S15
Art.-No.: ITR1136

 Connection: S15 /
Standard coarse thread

 TOPSELLER 

 Category **2**

 Type: Standard nozzle
Application type: Adhesive bead

RD 03 Nozzle S15
Art.-No.: ITR1182

 Connection: S15 /
Standard coarse thread

 TOPSELLER 

 Category **3**

 Type: Standard nozzle
Application type: Adhesive bead

Standard Nozzle S15
Art.-No.: ITR1128

 Connection: S15 /
Standard coarse thread

 TOPSELLER 

 Category **3**

 Type: Standard nozzle
Application type: Adhesive bead

Nozzles M20

**V-Cut Nozzle M20****Art.-No.: ITR1643**

Connection: M20 fine thread

Category 3

Type: V-Cut nozzle

Application type: Adhesive bead

**V-Cut Nozzle M20****Art.-No.: ITR1637**

Connection: M20 fine thread

Category 3

Type: V-Cut nozzle

Application type: Adhesive bead

**Uncut Nozzle M20 x 1,5****Art.-No.: ITR1151**

Connection: M20 fine thread

TOPSELLER 

Category 3

Type: Standard nozzle

Application type: Adhesive bead

Nozzles M15



Flared Seam Nozzle M15

Art.-No.: ITR1390

Connection: M15 /
standard fine thread

TOPSELLER 

Category 

Type: Wide slot nozzle

Application type: Adhesive bead



Rotatable 4-Way V-Cut Nozzle M15

Art.-No.: ITR1956

Connection: M15 /
standard fine thread

TOPSELLER 

Category 

Type: V-Cut nozzle

Application type: Adhesive bead



Standard Nozzle M15

Art.-No.: ITR1127

Connection: M15 /
standard fine thread

TOPSELLER 

Category 

Type: Standard nozzle

Application type: Adhesive bead



V-Cut Nozzle with Guiding Spike M15

Art.-No.: ITR1135

Connection: M15 /
standard fine thread

TOPSELLER 

Category 

Type: V-Cut nozzle

Application type: Adhesive bead



Customizable Nozzle M15

Art.-No.: ITR1149

Connection: M15 /
standard fine thread

TOPSELLER 

Category 

Type: Standard nozzle

Application type: Adhesive bead

F-System Mixers




F-System Quadro Mixers 1:1/2:1

Category 2

Connection: F-System

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MFQ 05-16L	Quadro	16	1:1, 2:1	Luer-Lock	5 mm	100 mm	ITR1466
MFQ 05-24L	Quadro	24	1:1, 2:1	Luer-Lock	5 mm	132 mm	ITR1467
MFQ 07-24T TOP	Quadro	24	1:1, 2:1	graded	7 mm	137 mm	ITR1332
MFQ 08-24T	Quadro	24	1:1, 2:1	graded	8 mm	155 mm	ITR1067
MFQ 08-32D	Quadro	32	1:1, 2:1	straight	8 mm	198 mm	ITR2029
MFQ 10-24T	Quadro	24	1:1, 2:1	graded	10 mm	181 mm	ITR1068




F-System Quadro Mixers 4:1/10:1

Category 2

Connection: F-System

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MFQX 05-16L TOP	Quadro	16	4:1, 10:1	Luer-Lock	5 mm	101 mm	ITR1071
MFQX 05-24L TOP	Quadro	24	4:1, 10:1	Luer-Lock	5 mm	132 mm	ITR1072
MFQX 07-24T	Quadro	24	4:1, 10:1	graded	7 mm	137 mm	ITR1389
MFQX 08-24T	Quadro	24	4:1, 10:1	graded	8 mm	155 mm	ITR1069
MFQX 08-32D	Quadro	32	4:1, 10:1	straight	8 mm	198 mm	ITR1318
MFQX 10-24T	Quadro	24	4:1, 10:1	graded	10 mm	181 mm	ITR1070




F-System Static Mixers 1:1/2:1

Category 2

Connection: F-System

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MFH 06-18T NEU	Helix/round	18	1:1, 2:1	graded	6 mm	156 mm	ITR1454
MFH 06-24T	Helix/round	24	1:1, 2:1	graded	6 mm	194 mm	ITR1455
MFH 06-32T	Helix/round	32	1:1, 2:1	graded	6 mm	245 mm	ITR1456
MFH 08-18T	Helix/round	18	1:1, 2:1	graded	8 mm	187 mm	ITR1034
MFH 08-24T	Helix/round	24	1:1, 2:1	graded	8 mm	234 mm	ITR1457
MFH 08-32T	Helix/round	32	1:1, 2:1	graded	8 mm	297 mm	ITR1458
MFH 10-18T	Helix/round	18	1:1, 2:1	graded	10 mm	224 mm	ITR1035
MFH 10-24T	Helix/round	24	1:1, 2:1	graded	10 mm	283 mm	ITR1401
MFH 10-32T	Helix/round	32	1:1, 2:1	graded	10 mm	362 mm	ITR1459
MFH 13-18T	Helix/round	18	1:1, 2:1	graded	13 mm	235 mm	ITR2016
MFH 13-24T	Helix/round	24	1:1, 2:1	graded	13 mm	296 mm	ITR2231



F-System Static Mixers 4:1/10:1

Category 2

Connection: F-System

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MFHX 06-18T	Helix/round	18	4:1, 10:1	graded	6 mm	156 mm	ITR1468
MFHX 06-24T	Helix/round	24	4:1, 10:1	graded	6 mm	194 mm	ITR1469
MFHX 06-32T	Helix/round	32	4:1, 10:1	graded	6 mm	245 mm	ITR1470

Continuation *F-System Static Mixers 4:1/10:1*

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MFHX 08-18T	Helix/round	18	4:1, 10:1	graded	8 mm	187 mm	ITR1036
MFHX 08-24T	Helix/round	24	4:1, 10:1	graded	8 mm	234 mm	ITR1415
MFHX 08-32T	Helix/round	32	4:1, 10:1	graded	8 mm	296 mm	ITR1472
MFHX 10-18T	Helix/round	18	4:1, 10:1	graded	10 mm	224 mm	ITR1042
MFHX 10-24T	Helix/round	24	4:1, 10:1	graded	10 mm	283 mm	ITR1043
MFHX 10-32T	Helix/round	32	4:1, 10:1	graded	10 mm	363 mm	ITR1041
MFHX 13-18T	Helix/round	18	4:1, 10:1	graded	13 mm	235 mm	ITR1134

B-System Mixers



B-System Quadro Mixers 1:1/2:1

Category 2

Connection: B-System

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MBQ 05-16L TOP	Quadro	16	1:1, 2:1	Luer-Lock	5 mm	91 mm	ITR1066
MBQ 05-24L TOP	Quadro	24	1:1, 2:1	Luer-Lock	5 mm	122 mm	ITR1065



B-System Quadro Mixers 4:1/10:1

Category 2

Connection: B-System

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MBQX 05-16L	Quadro	16	4:1, 10:1	Luer-Lock	5 mm	91 mm	ITR1683
MBQX 05-24L	Quadro	24	4:1, 10:1	Luer-Lock	5 mm	122 mm	ITR1488



B-System Static Mixers 1:1/2:1

Category 2

Connection: B-System

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MBH 03-12D	Helix/round	12	1:1, 2:1	straight	3 mm	58 mm	ITR1460
MBH 03-12S	Helix/round	12	1:1, 2:1	conical	3 mm	64 mm	ITR1461
MBH 03-16D	Helix/round	16	1:1, 2:1	straight	3 mm	71 mm	ITR1462
MBH 03-16L	Helix/round	16	1:1, 2:1	Luer-Lock	3 mm	76 mm	ITR1060
MBH 03-16S	Helix/round	16	1:1, 2:1	conical	3 mm	77 mm	ITR1406
MBH 04-12D	Helix/round	12	1:1, 2:1	straight	4 mm	70 mm	ITR1463
MBH 04-16D	Helix/round	16	1:1, 2:1	straight	4 mm	86 mm	ITR1464
MBH 04-16S TOP	Helix/round	16	1:1, 2:1	conical	4 mm	96 mm	ITR1465
MBH 05-12D	Helix/round	12	1:1, 2:1	straight	5 mm	83 mm	ITR1444
MBH 05-14D	Helix/round	14	1:1, 2:1	straight	5 mm	112 mm	ITR1445
MBH 05-16T	Helix/round	16	1:1, 2:1	graded	5 mm	112 mm	ITR1404
MBH 05-20T	Helix/round	20	1:1, 2:1	graded	5 mm	133 mm	ITR1446
MBH 06-11D	Helix/round	11	1:1, 2:1	straight	6 mm	89 mm	ITR1447
MBH 06-16T	Helix/round	16	1:1, 2:1	graded	6 mm	131 mm	ITR1448
MBH 06-20T TOP	Helix/round	20	1:1, 2:1	graded	6 mm	157 mm	ITR1054
MBH 07-11D	Helix/round	11	1:1, 2:1	straight	7 mm	92 mm	ITR1692



Sulzer Mixpac B-System Static Mixers 4:1/10:1

Category 2

Connection: B-System

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MBHX 03-16S	Helix/round	16	4:1, 10:1	conical	3 mm	77 mm	ITR1057
MBHX 04-16D	Helix/round	16	4:1, 10:1	straight	4 mm	86 mm	ITR1449
MBHX 04-16S TOP	Helix/round	16	4:1, 10:1	conical	4 mm	96 mm	ITR1058
MBHX 05-12D	Helix/round	12	4:1, 10:1	straight	5 mm	83 mm	ITR1450
MBHX 05-16T TOP	Helix/round	16	4:1, 10:1	graded	5 mm	111 mm	ITR1018
MBHX 05-20T	Helix/round	20	4:1, 10:1	graded	5 mm	133 mm	ITR1451

Continuation **B-System Static Mixers 4:1/10:1**

Variants	Type	Mixing Cycles	Mixing Ratio	Tip	Ø	Length	Art.-No.
MBHX 06-16D	Helix/round	16	4:1, 10:1	straight	6 mm	121 mm	ITR1452
MBHX 06-16T	Helix/round	16	4:1, 10:1	graded	6 mm	131 mm	ITR1413
MBHX 06-20T	Helix/round	20	4:1, 10:1	graded	6 mm	157 mm	ITR1063