

10. SINGLE DIAMETER **BARREL**,
SERIAL NUMBER

9. TAPERED
NOZZLE

8. BRASS **NEEDLE** WITHOUT COATING

7. METAL **TRIGGER**

6. HIGH QUALITY **GASKET**

5. STANDARD ACCESSORIES:
2 CONICAL + 2 STRAIGHT **EXTENSION TIPS** 200 MM

1. HIGH QUALITY **BASKET**:
ALBA RT
NICKEL COATING
PTFE NON-RETURN BALL

2. LIGHT **BODY** DESIGN

3. **DOSING KNOB**

4. ERGONOMIC
HANDGRIP



NBS-AL2

- 1. BASKET** **ALBA:** SPECIALLY DESIGNED GEOMETRY, COMPATIBLE WITH ALL AVAILABLE FOAM & CLEANER CAN STANDARDS
RT: ROUNDED THREAD: CAN MOUNTING WITH VERY LOW RESISTANCE, NO RISK OF CUTTING INTO PLASTIC RING
NICKEL COATING
PTFE NON-RETURN BALL: AVOIDS POLLUTION OF THE NON-RETURN BALL
- 2. BODY** LIGHT PLASTIC
- 3. DOSING KNOB** EASY ADJUSTMENT OF THE REQUIRED AMOUNT OF FOAM
- 4. HANDGRIP** **ERGONOMIC SHAPE** DESIGNED FOR INTENSIVE USE
- 5. ACCESSORIES** PLASTIC **EXTENSION TIPS** TO BE ATTACHED ON THE TAPERED NOZZLE, TO **EASILY REACH NARROW HOLES AND GAPS**
- 6. GASKET** A GASKET CONSISTING OF 3 RINGS (1 X PTFE, 2 X RUBBER) GUARANTEES **LONG-TERM AIRTIGHTNESS** – IF REQUIRED, THE TENSION CAN BE ADJUSTED BY TURNING THE HEXAGONAL SCREW
NBS STANDARD GUARANTEES ≥ 50.000 CYCLES
- 7. NEEDLE** MADE OF **BRASS**, NO COATING
- 8. TRIGGER** **METAL**, NO BENDING
- 9. NOZZLE** TAPERED NOZZLE WITH SHARP EDGES TO ATTACH PLASTIC EXTENSION TIPS
PERFECT FIT WITH THE NEEDLE TIP FOR **100% AIRTIGHTNESS**
- 10. BARREL** CONTAINS A **LASER-PRINTED SERIAL NUMBER** FOR TRACKING AND TRACING PURPOSES
SINGLE DIAMETER